

Armed Services Technical Information Agency

Because of our limited supply, you are requested to return this copy WHEN IT HAS SERVED YOUR PURPOSE so that it may be made available to other requesters. Your cooperation will be appreciated.

AD

41522

NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

Reproduced by
DOCUMENT SERVICE CENTER
KNOTT BUILDING, DAYTON, 2, OHIO

UNCLASSIFIED

Kellogg/RL 54-329

AD No. 41522

ASTIA FILE COPY



PROPERTY OF
CAGI (CAG)
TECHNICAL LIBRARY

THE M.W.KELLOGG COMPANY

THE M. W. KELLOGG COMPANY
Petroleum & Chemical
Research Dept.
Jersey City, N. J.



Report No. RL-54-329

1

Petroleum and Chemical Research Department

PROGRESS REPORT

ARCTIC RUBBER

U.S. Army Contract DA-44-109-qm-1580
For the Period August-December, 1953

July 29, 1954

Copy No. 15

Report RL-54-329

Petroleum and Chemical Research Department
Laboratory Division, Jersey City, New Jersey



PROGRESS REPORT

Subject: Artic Rubber - U.S. Army Contract DA-44-109-qm-1580
For the Period August-December 1953

Staff: J.W. Copenhaver, F.J. Honn, A.N. Bolstad, J.M. Hoyt,
E.S. Lo, A.G. Davis

Authors: F.J. Honn and E.S. Lo

Period Covered: August 1, 1953 to December 31, 1953

L.O. No. D-221; Job No. 5675

Previous Reports on this Subject:

RL-50-139	dated	November 1, 1950
RL-51-146	"	February 1, 1951
RL-51-156	"	April 1, 1951
RL-51-163	"	July 1, 1951
RL-51-174	"	October 1, 1951
RL-52-183	"	February 1, 1952
RL-52-195	"	May 1, 1952
RL-52-209	"	August 1, 1952
RL-52-248	"	October 1, 1952
RL-53-259	"	January 1, 1953
RL-53-274	"	April 1, 1953
RL-53-289	"	August 1, 1953

Approved:



E.F. SCHWARZENBEK

CONTENTS

Page

I. Introduction	
A. Purpose of the Project	
B. Research Program	
C. Past Progress	
II. Summary of Current Progress	
III. Experimental Section	
A. Monomer Synthesis	
B. Monomer Analysis	
C. Polymer Preparation	
1. Copolymers of $\text{CF}_2-\overset{\text{CH}_3}{\text{CH}}-\text{C}=\text{CH}_2$	
2. Copolymers of $\text{CF}_2-\overset{\text{CH}_3}{\text{C}}-\text{CF}=\text{CH}_2$	
3. Copolymers of $\text{CF}_2-\text{CFCl}/\text{CH}_2-\text{CFCl}$	
4. Perfluorobutadiene Polymerization	
D. Polymer Evaluation	
1. Screening of Raw Polymers	
2. Raw Polymers Shipped for Screening	
IV. Final Report - Plans for Future Work under New Contract	



I. Introduction

A. Purpose of the Project

The primary purpose of this project is the development of a fluorine containing oil- and fuel-resistant elastomer which will retain its rubbery properties between -70°F. and $+160^{\circ}\text{F.}$

B. Research Program

To achieve this goal, the M.W. Kellogg Company has been authorized by the Quartermaster Corps to conduct a broad investigation of fluorocarbon polymers involving (1) monomer synthesis; (2) polymer preparation; and (3) polymer evaluation. Emphasis has been placed upon polymer preparation and especially upon the copolymerization of fluoroolefins and fluoro-chloro-olefins among themselves and with olefinic and diolefinic hydrocarbons.

Monomer synthesis at Kellogg has been restricted to products arising from the thermal dimerization of $\text{CF}_2=\text{CFCl}$, namely, $\text{CF}_2=\text{CF}-\text{CF}=\text{CF}_2$, $\text{CF}_2=\text{CF}=\text{CF}-\text{CF}_2$, and $\text{CF}_3-\text{CF}=\text{CF}_2$. Where feasible, the preparation of other monomers, e.g., $\text{CF}_2=\text{CF}_2$ and $\text{CF}_2=\text{CHF}$, has also been undertaken in these laboratories. For the most part, however, monomers not available commercially have been requested from Dr. Paul Tarrant of the University of Florida, Dr. Aldrich Syverson of the Ohio State University, and Dr. W.T. Miller of Cornell University, or obtained on an exchange basis from Minnesota Mining and Manufacturing Company and Polaroid Corporation.

Polymer preparation has proceeded through four phases: (a) exploratory copolymerization of new monomer pairs; (b) determination of the relative reactivities of monomers successfully copolymerized into elastomers; (c) synthesis of pound batches of these elastomers in several comonomer ratios for evaluation; and (d) pilot plant production of one elastomer (Kellogg "X-300 Rubber") which is of interest to the Quartermaster not so much as an Arctic Rubber but more precisely as an acid-and oxidant-resistant elastomer for protective suits, gloves, and boots. A new phase, initiated during the past quarter, involves the testing of small samples of unvulcanized, rubbery polymers, obtained from exploratory work, for oil-resistance and low temperature flexibility. This testing program is being carried on at the Quartermaster Depot at Philadelphia.

All the rubbery products obtained in the exploratory work have been tested for oil-and fuel-resistance and low temperature flexibility.

Small samples (1-2 g.) of the raw polymer are subjected to the Gehman torsional stiffness test and the solvent swell test in ASTM Reference Fuel No. 2.



Polymer compounding, testing, and evaluation has been carried forward most capably by Mr. C.B. Griffis and his staff at the Philadelphia Quarter-master Depot. The development of military uses for X-300 has been the joint responsibility of Mr. Griffis and the Kellogg Applications Laboratory.

C. Past Progress

1. Quarters completed as of August 1, 1953:	12
2. Monomers available for copolymerization:	56
a. Purchased	28
b. Minnesota Mining & Mfg. Co.	3
c. Dr. Tarrant	12
d. Dr. Syverson	7
e. M.W. Kellogg Co.	6

3. Copolymer systems investigated: 357
(where the numbers refer to the monomers
listed in section III-A, below):

1-2, 1-2-4, 1-2-8, 1-2-9, 1-2-11, 1-2-14, 1-2-21, 1-2-22, 1-2-23, 1-2-24,
1-2-29, 1-2-30, 1-2-31, 1-2-32, 1-2-35, 1-2-40, 1-2-45, 1-2-45a, 1-2-45b,
1-2-52, 1-2-53, 1-3, 1-4, 1-5, 1-6, 1-7, 1-8, 1-9, 1-12, 1-13, 1-14, 1-16,
1-17, 1-18, 1-19, 1-20, 1-21, 1-22, 1-23, 1-27, 1-28, 1-30, 1-35, 1-36,
1-37, 1-39, 1-40, 1-41, 1-42, 1-43, 1-44, 1-45a, 1-47, 1-48, 1-49, 1-54,
2-3, 2-4, 2-6, 2-8, 2-9, 2-12, 2-13, 2-15, 2-16, 2-17, 2-18, 2-19, 2-21,
2-22, 2-23, 2-24, 2-28, 2-29, 2-30, 2-32, 2-34, 2-35, 2-37, 2-38, 2-39, 2-40,
2-42, 2-43, 2-44, 3-4, 3-7, 3-9, 3-14, 3-18, 3-19, 3-20, 3-21, 3-22, 3-23,
3-24, 3-25, 3-30, 3-32, 3-44, 4, 4-5, 4-6, 4-8, 4-9, 4-10, 4-11, 4-12, 4-14,
4-15, 4-17, 4-19, 4-20, 4-21, 4-22, 4-24, 4-25, 4-27, 4-28, 4-29, 4-32,
4-35, 4-37, 4-39, 4-40, 4-41, 4-42, 4-43, 4-44, 4-45a, 4-47, 4-48, 4-49, 5-9,
5-44, 6-8, 6-9, 6-30, 6-37, 6-41, 7-35, 7-37, 7-41, 7-42, 7-43, 7-44, 8-13,
8-24, 8-35, 8-37, 8-40, 8-41, 8-42, 8-44, 9, 9-12, 9-13, 9-14, 9-16, 9-17,
9-18, 9-22, 9-23, 9-27, 9-28, 9-35, 9-36, 9-37, 9-39, 9-40, 9-41, 9-42, 9-43,
9-44, 9-45a, 9-47, 9-48, 9-49, 10-14, 10-28, 11-41, 11-42, 11-44, 12-24,
12-35, 12-37, 12-40, 12-41, 12-42, 12-44, 13-17, 13-18, 14-22, 14-28, 14-35,
14-37, 14-40, 14-41, 14-42, 14-43, 14-44, 16-18, 16-24, 16-35, 16-37, 16-41,
16-44, 17-18, 17-24, 17-35, 17-37, 17-41, 17-44, 18-21, 19-22, 19-28, 19-35,
20-22, 20-28, 20-35, 20-37, 20-40, 20-41, 20-42, 21, 21-22, 21-28, 21-30,
21-35, 21-37, 21-40, 21-41, 21-42, 21-43, 21-44, 21-45a, 21-47, 21-48, 22,
22-24, 22-28, 22-30, 22-32, 22-35, 22-36, 22-37, 22-38, 22-40, 22-41, 22-42,
22-43, 22-44, 23-28, 23-35, 23-37, 23-40, 23-41, 23-42, 23-44, 24-28, 24-31,
24-35, 24-36, 24-37, 24-39, 24-40, 24-41, 24-42, 24-43, 24-44, 24-45a, 24-47,
24-48, 24-49, 25-28, 25-35, 25-37, 25-40, 25-41, 25-42, 25-44, 27, 27-37,
27-38, 27-41, 27-35, 27-40, 27-42, 27-44, 28, 28-30, 28-32, 29-35, 29-37,
29-40, 29-42, 29-43, 30, 30-35, 30-37, 30-40, 30-41, 30-42, 30-44, 31-35,
31-42, 32-35, 32-37, 32-40, 32-41, 32-42, 32-43, 32-44, 33-35, 33-37, 33-40,
33-41, 33-42, 33-44, 33-37, 34-41, 34-42, 34-44, 35, 35-36, 35-37, 35-40,
35-41, 35-42, 35-43, 35-44, 37, 37-38, 37-39, 37-40, 37-43, 38, 38-40,
38-41, 38-42, 38-44, 39, 39-40, 39-41, 39-42, 39-43, 39-44, 40, 40-42, 41,
41-42, 41-43, 41-44, 42, 42-44, 43 and 43-44.

4. Rubberlike systems: 145

1-2, 1-2-14, 1-2-21, 1-2-22, 1-2-23, 1-2-24, 1-2-29, 1-2-32, 1-2-34, 1-2-40, 1-2-45a, 1-2-45b, 1-3, 1-5, 1-13, 1-17, 1-22, 1-28, 1-37, 1-41, 1-43, 1-44, 1-45a, 1-47, 1-48, 1-49, 2-4, 2-6, 2-13, 2-17, 2-22, 2-24, 2-28, 2-30, 2-32, 2-34, 2-44, 3-4, 3-9, 3-14, 3-18, 3-19, 3-21, 3-22, 3-23, 3-24, 3-44, 4-5, 4-28, 4-37, 4-41, 4-43, 4-44, 4-47, 4-48, 4-49, 5-9, 5-44, 6-41, 7-41, 7-43, 7-44, 8-37, 8-41, 8-44, 9-12, 9-13, 9-17, 9-28, 9-37, 9-41, 9-43, 9-44, 12-28, 12-37, 12-41, 13-18, 14-22, 14-28, 14-43, 14-44, 16-41, 16-44, 17-18, 17-24, 17-35, 17-41, 17-44, 20-22, 21, 21-22, 21-28, 21-41, 21-43, 21-44, 21-45a, 22, 22-24, 22-28, 22-32, 22-41, 22-42, 22-43, 22-44, 23-44, 24-28, 24-37, 24-41, 24-43, 24-44, 24-45a, 24-47, 24-48, 24-49, 27-28, 27-37, 27-41, 27-44, 28, 28-30, 28-32, 28-35, 30-37, 30-44, 31-35, 32-43, 32-44, 33-44, 35-37, 35-40, 35-43, 35-44, 37, 37-38, 37-41, 37-43, 38-44, 39-41, 39-44, 41, 41-43, 41-44, 42-44, 43, and 43-44.

5. Monomer reactivity ratios determined: 9

System	M ₁	M ₂	r ₁	r ₂
1-2	CF ₂ =CFC1	CF ₂ =CH ₂	0.52	0.17
1-3	CF ₂ =CFC1	Butadiene	0.0	1.35
1-5	CF ₂ =CFC1	Isoprene	0.1	1.41
3-4	CF ₂ =CF-CF-CF ₂	Butadiene	0.0	1.35
3-9	CF ₂ =CCl ₂	Butadiene	0.0	0.80
3-24	CF ₂ =CF ₂	Butadiene	0.0	1.75
4-5	CF ₂ =CF-CF-CF ₂	Isoprene	0.0	0.75
5-9	CF ₂ =CCl ₂	Isoprene	0.0	0.45
22-24	CH ₂ =CFC1	CF ₂ =CF ₂	2.8	0.1

6 Status of rubberlike systems:

- Most promising, in pilot plant and undergoing extensive tests: 1-2.
- Evaluated and rejected as unpromising: 1-3, 1-5, 1-17, 3-4, 3-9, 3-24, 4-5, 5-9, 21, 22, 28, 37, and 41.
- Promising, to be tested. 1-2-14, 1-2-21, 1-2-22, 1-2-24, 1-2-29, 1-2-32, 1-2-40, 1-13, 1-22, 1-28, 1-37, 1-41, 2-22, 2-24, 2-30, 2-32, 2-34, 2-44, 4-28, 4-37, 4-41, 6-41, 7-41, 8-37, 8-41, 9-13, 9-28, 9-37, 9-41, 12-28, 12-37, 12-41, 16-41, 16-44, 17-24, 17-35, 21-22, 21-41, 22-24, 22-41, 24-28, 24-41, 27-37, 27-41, 28-32, 28-35, 30-37, 35-37, 37-38, 37-41, 39-41, 41-43, 41-44, 43, and 43-44.
- Interesting, but better recipes needed to increase yields or to increase proportion of fluorocarbon combined: 2-4, 2-28, 3-14, 3-18, 3-19, 3-21, 3-23, 4-43, 4-44, 4-47, 4-48, 7-43, 7-44, 14-22, 14-28, 14-43, 14-44, 21-28, 21-43, 21-44, 22-28, 22-32, 22-42, 22-43, 22-44, 24-48, 27-28, 28-30, 31-35, 32-43, 32-44, 35-40, 35-44, 38-44, and 42-44.


- e. Relatively uninteresting (low F content or negligible amount of third monomer in 1-2-X systems): 1-2-23, 1-2-34, 1-2-45a, 1-2-45b, 1-43, 1-44, 1-45a, 1-47, 1-48, 1-49, 2-6, 2-13, 2-17, 3-22, 3-44, 4-49, 5-44, 8-44, 9-12, 9-17, 9-43, 9-44, 13-18, 17-18, 17-41, 17-44, 20-22, 21-45a, 23-44, 24-37, 24-43, 24-44, 24-45a, 24-47, 24-49, 27-44, 30-44, 33-44, 35-43, 37-43, and 39-44.

II. Summary of Current Progress

During this period all work performed is covered by Quartermaster Contract DA-44-109-qm-1580, which supersedes the previous contract DA-44-109-qm-222.


The number of monomers available for copolymerization has been 56, the number of copolymer systems investigated 376, and the number of rubberlike systems 157.

A group of raw, unvulcanized polymers have been screened for oil-resistance (ASTM Reference Fuel II) and low temperature flexibility (Gehman stiffness). None of the systems screened is any better balanced than 30/70 molar $\text{CF}_2=\text{CFCl}/\text{CH}_2=\text{CF}_2$, which is still not good enough to qualify as an oil-resistant, Arctic Rubber. The copolymers of



and $\text{CF}_3\text{CH}=\text{CHCH}=\text{CH}_2$ with other halogenated monomers offer no obvious advantage.

The screening of monomer $\text{CF}_2=\text{CHC}-\overset{\text{CH}_3}{\underset{|}{\text{CH}_2}}$ is generally complete with the monomers currently available. Among its many rubbery copolymers the



system appears most interesting and will be investigated further.

Monomer $\text{CF}_2=\text{C}-\overset{\text{CH}_3}{\underset{|}{\text{CF}}}=\text{CH}_2$ has been screened for copolymerization behavior with many available monomers. Most of the copolymers obtained were rubbery. However, only the homopolymer was sent for screening; the other rubberlike materials were not available in sufficient quantity.

Thirty-six other rubbery samples of homopolymers, copolymers and terpolymers have been submitted to the Quartermaster Depot as raw polymers to be screened for oil resistance and low temperature flexibility. Tests on these products are incomplete.

III. Experimental Section

A. Monomer Synthesis

Fifty-six monomers are now available for copolymerization studies:

- | | |
|--|--|
| 1. $\text{CF}_2=\text{CFC1}$ | 22. $\text{CH}_2=\text{CFC1}$ |
| 2. $\text{CF}_2=\text{CH}_2$ | 23. <u>Cis</u> - $\text{CF}_3-\text{CH}=\text{CH}-\text{CF}_3$ |
| 3. $\text{CH}_2=\text{CH}-\text{CH}=\text{CH}_2$ | 24. $\text{CF}_2=\text{CF}_2$ |
| 4. $\text{CF}_2=\text{CF}-\text{CF}=\text{CF}_2$ | 25. <u>trans</u> - $\text{CF}_3-\text{CH}=\text{CH}-\text{CF}_3$ |
| 5. $\text{CH}_2=\text{C}(\text{CH}_3)-\text{CH}=\text{CH}_2$ | 26. $\text{CH}_2=\text{CH}-\text{C}_6\text{H}_4-\text{CH}=\text{CH}_2$ |
| 6. $(\text{CH}_3)_2\text{C}=\text{CH}_2$ | 27. $\text{CH}_2=\text{C} \begin{array}{l} \text{CF}_3 \\ \text{CH}_3 \end{array}$ |
| 7. $\text{CF}_2-\text{CF}=\text{CF}-\text{CF}_2$ | 28. $\text{CH}_2=\text{CF}-\text{CH}=\text{CH}_2$ |
| 8. $\text{CH}_2=\text{CHCl}$ | 29. $\text{CF}_2=\text{C} \begin{array}{l} \text{CF}_3 \\ \text{CF}_3 \end{array}$ |
| 9. $\text{CF}_2=\text{CCl}_2$ | 30. $\text{CF}_2=\text{CFBr}$ |
| 10. $\text{CH}_3-\text{CH}=\text{CH}_2$ | 31. $\text{CH}_2=\text{CH}_2$ |
| 11. $\text{C}_6\text{H}_5-\text{CH}=\text{CH}_2$ | 32. $\text{CF}_2=\text{CCl}-\text{CF}_3$ |
| 12. $\text{CH}_2=\text{CCl}_2$ | 33. $\text{CF}_3-\text{C}(\text{CH}_3)=\text{CH}-\text{COOH}$ |
| 13. $\text{CH}_2=\text{CCl}-\text{CH}=\text{CH}_2$ | 34. $\text{CH}_2=\text{CH}-\text{C} \begin{array}{l} \text{O} \\ \parallel \\ \text{NH}_2 \end{array}$ |
| 14. $\text{CF}_2=\text{CF}-\text{CF}_2$ | 35. $\text{CF}_3-\text{CH}=\text{CH}_2$ |
| 15. $\text{CF}_2=\text{CF}-\text{CN}$ | 36. $\text{CH}_2=\text{CHBr}$ |
| 16. $\text{CH}_2=\text{CH}-\text{CN}$ | 37. $\text{CF}_2=\text{CH}-\text{CH}=\text{CH}_2$ |
| 17. $\text{CH}_2=\text{CH}-\text{CO}_2-\text{C}_4\text{H}_9(\text{n})$ | 38. $\text{CF}_3-\text{CCl}=\text{CCl}_2$ |
| 17a. $\text{CH}_2=\text{CH}-\text{CO}_2-\text{CH}_3$ | 39. $\text{CF}_3-\text{CCl}=\text{CH}_2$ |
| 18. $\text{CF}_2=\text{CHCl}$ | 40. $\text{CH}_2=\text{CHF}$ |
| 19. $\text{CF}_3-\text{CCl}=\text{CCl}-\text{CF}_3$ | 41. $\text{CF}_2=\text{CH}-\text{C}(\text{CH}_3)=\text{CH}_2$ |
| 20. $\text{CF}_3-\text{C}\equiv\text{C}-\text{CF}_3$ | 42. $\text{CF}_3-\text{CH}=\text{CF}_2$ |
| 21. $\text{CF}_2=\text{CFH}$ | 43. $\text{CF}_3-\text{CH}=\text{CH}-\text{CH}=\text{CH}_2$ |

- | | |
|---|---|
| 44. $\text{CF}_2=\text{C}(\text{CH}_3)-\text{CH}=\text{CH}_2$ | 49. $\text{CH}_2=\text{CH}-\text{O}-\text{CH}_2\text{CH}(\text{CH}_3)_2$ |
| 45. $\text{CH}_2=\text{CH}-\text{O}-\text{CO}-\text{CH}_3$ | 50. $\text{CF}_2=\text{C}(\text{CH}_3)-\text{CF}=\text{CH}_2$ |
| 45a. $\text{CH}_2=\text{CH}-\text{O}-\text{CO}-\text{CH}_2-\text{CH}_2-\text{CH}_3$ | 51. $\text{CF}_2=\text{CH}-\text{CF}=\text{CH}_2$ |
| 45b. $\text{CH}_2=\text{CH}-\text{O}-\text{CO}-\text{CH}_2\text{Cl}$ | 52. <u>trans</u> - $\text{C}_2\text{H}_5\text{O}_2\text{C}-\text{CH}=\text{CH}-\text{CO}_2\text{C}_2\text{H}_5$ |
| 46. $\text{C}_6\text{H}_5-\text{CH}=\text{CH}-\text{CO}_2\text{CH}_3$ | 53. <u>cis</u> - $\text{C}_2\text{H}_5\text{O}_2\text{C}-\text{CH}=\text{CH}-\text{CO}_2\text{C}_2\text{H}_5$ |
| 47. $\text{CH}_2=\text{CH}-\text{O}-\text{CH}_2-\text{CH}_3$ | 54. $\text{CH}_2=\text{CH}-\text{Si}(\text{OC}_2\text{H}_5)_3$ |
| 48. $\text{CH}_2=\text{CH}-\text{O}-\text{CH}_2-\text{CH}_2-\text{Cl}$ | 55. $\text{C}_6\text{H}_5\text{CF}=\text{CF}_2$ |

One hundred grams of α, β -trifluorostyrene were obtained from Polaroid Corporation on an exchange basis (see monomers shipped, below).

Additional supplies of four monomers already on the list were obtained. Two were received from Dr. Syverson of the Ohio State University and two were prepared in this laboratory from precursors synthesized by Dr. Tarrant.

No.	Monomer	Amount	Source
# 21	$\text{CF}_2=\text{CHF}$	4 lbs.	Ohio State University
# 22	$\text{CH}_2=\text{CFCl}$	5 lbs.	" " "
# 41	$\text{CF}_2=\text{CHC}(\text{CH}_3)=\text{CH}_2$	12 g.	The M.W. Kellogg Co.
# 50	$\text{CF}_2=\text{C}(\text{CH}_3)-\text{CF}=\text{CH}_2$	25 g.	" " " " "

Monomers Shipped

The following monomers were sent to Dr. Elkin Blout, Polaroid Corporation, Cambridge, Massachusetts at the request of Dr. Montermoso:

100 g.	$\text{CF}_2=\text{CFCF}=\text{CF}_2$
100 g.	$(\text{CF}_3)_2\text{C}=\text{CF}_2$
100 g.	$\text{CF}_3\text{CF}=\text{CF}_2$

One pound of $\text{CF}_2=\text{CFCl}$ was shipped to L.M. Peterson, Wright Air Development Center, Wright Patterson Air Force Base, Ohio.

Fifty grams of $\text{CF}_2=\text{CF}_2$ were delivered in person to Lt. Rogers of Wright Air Development Center, who visited the laboratory on December 22.

B. Monomer Analysis

The following monomers have been analyzed during this period with the mass spectrometer:

1. $\text{CH}_2=\text{CFCl}$ (Ohio State University) Cylinder #3

Approximate amounts of impurities:

$\text{CH}_2=\text{CCl}_2$	0.1 mole %
$\text{CF}_2=\text{CH}_2$	0.2
C_3H_6	0.1

2. $\text{CH}_2=\text{CFCH}=\text{CH}_2$ (Ohio State University)

No impurities of higher molecular weight. Presence or absence of $\text{CH}=\text{CCH}=\text{CH}_2$ cannot be established.

3. $\text{CF}_2=\text{CHC}(\text{CH}_3)=\text{CH}_2$

Approximate amounts of impurities:

$\text{C}_5\text{H}_7\text{F}_3$	0.4 mole %
$\text{C}_4\text{H}_5\text{F}$	0.4
C_4H_8	0.4

4. $\text{CF}_2=\text{C}(\text{CH}_3)-\text{CF}=\text{CH}_2$

Approximate amounts of impurities

$\text{C}_5\text{H}_7\text{F}_4$	4.1 mole %	} One or both of these compounds contains $-\text{C}_2\text{H}_5$ group.
$\text{C}_5\text{H}_7\text{F}_3$	0.5	
HCl	0.4	

Vibrational Spectrum Measurements of Fluorinated Monomers

N.B.S. Report No. 2856 on the vibrational spectrum of bromotrifluoroethylene was received as per agreement with Dr. D.E. Mann to whom we supplied this chemical. This report also contains an abridged table of ideal-gas thermodynamic functions and infra-red spectra of $\text{CF}_2=\text{CFBr}$. An earlier paper, (J. Chem. Phys. 21 1949 (1953)) contains the spectra and thermodynamic functions for chlorotrifluoroethylene. More complete tables for $\text{CF}_2=\text{CF}_2$, $\text{CF}_2=\text{CFCl}$, $\text{CF}_2=\text{CFBr}$, and $\text{CCl}_2=\text{CCl}_2$ were also sent.

C. Polymer Preparation

Copolymerizations have now been attempted with 376 systems (where the numbers refer to the monomers listed in section III-A, above):

1-2, 1-2-4, 1-2-8, 1-2-9, 1-2-11, 1-2-14, 1-2-21, 1-2-22, 1-2-23, 1-2-24, 1-2-29, 1-2-30, 1-2-31, 1-2-32, 1-2-35, 1-2-40, 1-2-45, 1-2-45a, 1-2-45b, 1-2-52, 1-2-53, 1-3, 1-4, 1-5, 1-6, 1-7, 1-8, 1-9, 1-12, 1-13, 1-14, 1-16, 1-17, 1-18, 1-19, 1-20, 1-21, 1-22, 1-23, 1-27, 1-28, 1-30, 1-35, 1-36, 1-37, 1-39, 1-40, 1-41, 1-42, 1-43, 1-44, 1-45a, 1-47, 1-48, 1-49, 1-50, 1-54, 2-2, 2-4, 2-6, 2-8, 2-9, 2-12, 2-13, 2-15, 2-16, 2-17, 2-18, 2-19, 2-21, 2-22, 2-23, 2-24, 2-28, 2-29, 2-30, 2-32, 2-34, 2-35, 2-37, 2-38, 2-39, 2-40, 2-42, 2-43, 2-44, 3-4, 3-7, 3-9, 3-14, 3-18, 3-19, 3-20, 3-21, 3-22, 3-23, 3-24, 3-25, 3-30, 3-32, 3-41, 3-44, 3-50, 4, 4-5, 4-6, 4-8, 4-9, 4-10, 4-11, 4-12, 4-14, 4-15, 4-17, 4-19, 4-20, 4-21, 4-22, 4-24, 4-25, 4-27, 4-28, 4-29, 4-32, 4-35, 4-37, 4-39, 4-40, 4-41, 4-42, 4-43, 4-44, 4-45a, 4-47, 4-48, 4-49, 4-50, 5-9, 5-44, 6-8, 6-9, 6-30, 6-37, 6-41, 7-35, 7-37, 7-41, 7-42, 7-43, 7-44, 8-13, 8-24, 8-35, 8-37, 8-40, 8-41, 8-42, 8-44, 8-50, 9, 9-12, 9-13, 9-14, 9-16, 9-17, 9-18, 9-22, 9-23, 9-27, 9-28, 9-35, 9-36, 9-37, 9-39, 9-40, 9-41, 9-42, 9-43, 9-44, 9-45a, 9-47, 9-48, 9-49, 9-50, 10-14, 10-28, 11-41, 11-42, 11-44, 12-24, 12-35, 12-37, 12-40, 12-41, 12-42, 12-44, 12-50, 13-17, 13-18, 14-22, 14-28, 14-35, 14-37, 14-40, 14-41, 14-42, 14-43, 14-44, 14-50, 16-18, 16-24, 16-35, 16-37, 16-41, 16-44, 17-18, 17-24, 17-35, 17-37, 17-41, 17-44, 17-50, 18-21, 19-22, 19-28, 19-35, 20-22, 20-28, 20-35, 20-37, 20-40, 20-41, 20-42, 21, 21-22, 21-28, 21-30, 21-35, 21-37, 21-40, 21-41, 21-42, 21-43, 21-44, 21-45a, 21-47, 21-48, 22, 22-24, 22-28, 22-30, 22-32, 22-35, 22-36, 22-37, 22-38, 22-40, 22-41, 22-42, 22-43, 22-44, 22-50, 23-28, 23-35, 23-37, 23-40, 23-41, 23-42, 23-44, 24-28, 24-31, 24-35, 24-36, 24-37, 24-39, 24-40, 24-41, 24-42, 24-43, 24-44, 24-45a, 24-47, 24-48, 24-49, 25-28, 25-35, 25-37, 25-40, 25-41, 25-42, 25-44, 27, 27-37, 27-38, 27-41, 27-35, 27-37, 27-40, 27-42, 27-44, 28, 28-30, 28-32, 28-41, 29-35, 29-37, 29-40, 29-42, 29-43, 30, 30-35, 30-37, 30-40, 30-41, 30-42, 30-44, 31-35, 31-42, 32-35, 32-37, 32-40, 32-41, 32-42, 32-43, 32-44, 32-50, 33-35, 33-37, 33-40, 33-41, 33-42, 33-44, 34-41, 34-42, 34-44, 34-50, 35, 35-35, 35-37, 35-40, 35-41, 35-42, 35-43, 35-44, 37, 37-38, 37-39, 37-40, 37-43, 38, 38-40, 38-41, 38-42, 38-44, 39, 39-40, 39-41, 39-42, 39-43, 39-44, 40, 40-42, 41, 41-42, 41-43, 41-44, 41-45a, 41-47, 41-49, 41-55, 42, 42-44, 43, 43-44, and 50


Of these systems, 157 can be considered rubberlike:

1-2, 1-2-4, 1-2-21, 1-2-22, 1-2-23, 1-2-24, 1-2-29, 1-2-32, 1-2-34, 1-2-40, 1-2-45a, 1-2-45b, 1-3, 1-5, 1-13, 1-17, 1-22, 1-28, 1-37, 1-41, 1-43, 1-44, 1-45a, 1-47, 1-48, 1-49, 1-50, 2-4, 2-6, 2-13, 2-17, 2-22, 2-24, 2-28, 2-30, 2-32, 2-34, 2-44, 3-4, 3-9, 3-14, 3-18, 3-19, 3-21, 3-22, 3-23, 3-24, 3-41, 3-44, 4-5, 4-28, 4-37, 4-41, 4-43, 4-44, 4-47, 4-48, 4-49, 4-50, 5-9, 5-44, 6-41, 7-41, 7-43, 7-44, 8-37, 8-41, 8-44, 8-50, 9-12, 9-13, 9-17, 9-28, 9-37, 9-41, 9-43, 9-44, 9-50, 12-28, 12-37, 12-41, 12-50, 13-18, 14-22, 14-28, 14-43, 14-44, 14-50, 16-41, 16-44, 17-18, 17-24, 17-35, 17-41, 17-44, 20-22, 21, 21-22, 21-28, 21-41, 21-43, 21-44, 21-45a, 22, 22-24, 22-28, 22-32, 22-41, 22-42, 22-43, 22-44, 22-50, 23-44, 24-28, 24-37, 24-41, 24-43, 24-44, 24-45a, 24-47, 24-48, 24-49, 27-28, 27-37, 27-41, 27-44, 28, 28-30, 28-32, 28-35, 28-41, 30-37, 30-44, 31-35, 32-43, 32-44, 32-50, 33-44, 35-37, 35-40, 35-43, 35-44, 37, 37-38, 37-41, 37-43, 38-44, 39-41, 39-44, 41, 41-43, 41-44, 41-55, 42-44, 43, 43-44, and 50.

Experimental Data relative to the exploratory work carried out during the current period are set forth below:

1. Copolymers of $\text{CF}_2=\text{CH}-\overset{\text{CH}_3}{\text{C}}=\text{CH}_2$

A series of copolymerizations were run with $\text{CF}_2=\text{CH}-\overset{\text{CH}_3}{\text{C}}=\text{CH}_2$ to complete the screening of this monomer with all monomers currently available. This diene forms a rubbery homopolymer and many of its copolymers are rubbery. The



copolymer (see run 1421, Table 1) appears particularly interesting and will be investigated further.

2. Copolymers of $\text{CF}_2=\overset{\text{CH}_3}{\text{C}}-\text{CF}=\text{CH}_2$

The homopolymer of this diene is rubbery, and so are many of its copolymers. These rubbers, however, are generally rather short.

Both homopolymers and copolymers of $\text{CF}_2=\overset{\text{CH}_3}{\text{C}}=\text{CH}_2$ and $\text{CF}_2=\overset{\text{CH}_3}{\text{C}}-\text{CF}=\text{CH}_2$ are described in Table 1.

3. Copolymers of $\text{CF}_2=\text{CFCl} / \text{CH}_2=\text{CFCl}$

Three levels of the $\text{CF}_2=\text{CFCl} / \text{CH}_2=\text{CFCl}$ system were prepared for screening. (See runs 1432, 1433, and 1434 in Table 1).

4. Perfluorobutadiene Polymerization

This monomer copolymerizes competitively with various monomers listed in Section III-A. It does not give a high molecular weight homopolymer with the regular emulsion recipes. However, a high molecular polyperfluorobutadiene was obtained by Miller & Bridgman of Cornell University by polymerizing the monomer in presence of oxygen or peroxide under very high pressure. The product was described as exhibiting a number of the general characteristics of a rubber. It is with this aspect that the $\text{CF}_2=\text{CFCF}=\text{CF}_2$ system has been and will be investigated further.

A few polymerizations of $\text{CF}_2=\text{CFCF}=\text{CF}_2$ are described in Table 2. It appears that in the oxygen catalyzed polymerization the presence of a small amount of SO_2 tends to increase the rate of polymerization, while a large amount of SO_2 inhibits polymerization. (See runs 1410 and 1411 in Table 2). The small amount of sulfur incorporated in the polymer probably accounts for its partial solubility in acetone.

D. Polymer Evaluation

1. Screening of Raw Polymers

In an attempt to evaluate rapidly the large number of copolymers prepared in our exploratory work, it was decided after consultation with Mr. Griffis of the QM Depot, that small unvulcanized samples of each copolymer should be subjected to the Gehman stiffness and volume swell test (see progress report, RL-53-274, p. 16). It is hoped that this procedure will enable us to arrive at a useful comparison of the low temperature and oil-resistance properties of all rubbery materials prepared to date in a minimum of time.

It is difficult to predict how reliable a comparison of this type will be, based as it is on raw polymers and not on the final, cured and compounded rubber. However, it appears to be a realistic approach and should serve as a guide to future work.

The results of the screening tests of a group of rubbery polymers have been received. These results are reported in Table 3. The Gehman stiffness data are expressed in terms of T_2 , T_5 , T_{10} and T_{100} temperatures, i.e., the temperatures at which the specimen is 2, 5, 10 and 100 times stiffer than at 25°C. The per cent volume increase was determined in ASTM Reference Fuel No. 2, which consists of isooctane (60% by vol.), benzene (5%), toluene (20%) and xylene (15%). These swelling values are subject to some error because of the small samples used. The Gehman test samples were molded from raw polymer. The molding temperature and the appearance of the raw polymers after molding are also described in Table 3.

Some preliminary conclusions from the screening tests

None of the systems screened is better balanced than 30/70 molar $\text{CF}_2=\text{CFCl}/\text{CF}_2=\text{CH}_2$ with regard to low temperature properties and resistance to ASTM type II fuel. The 65/35 molar $\text{CF}_2=\text{CF}_2/\text{CH}_2=\text{CFCl}$ copolymer (1347) is rather stiff at room temperature, but it does not stiffen further at lower temperatures as markedly as X-300, its T_{100} being -55° as compared with -26.5 for X-300 (see RL-53-251, p. 7). This system will be investigated further in an attempt to find a more rubbery comonomer ratio with as good or better Gehman and volume swell properties. So far, copolymerization of the fluorinated dienes with halogenated monomers offers no obvious advantage (see Figures 1, 2, and 3), but some of the copolymer systems (notably those with a volume swell <100% will be screened further at other comonomer ratios.

2. Raw Polymers Shipped for Screening

A list of rubbery copolymers shown in Table 4 were shipped to the QM Depot for evaluation during the current period.




A 50 g. sample of $\text{CF}_2=\text{CH}(\text{CH}_3)=\text{CH}_2$ homopolymer (D-122-1396) was also sent to QM Depot for compounding and curing and further evaluation as an Arctic Rubber. This polymer was one of the more promising rubbers turned up in the screening test. However, in an Altax-sulfur recipe, the polymer charred to a brittle mass after 60 minutes at 300°F.

IV. Final Report - Plans for Future Work under New Contract

A final report covering all work done under DA-44-109-qm-222 from July 1, 1950 through July 31, 1953 has been completed.

A new contract with the same objectives as the old, has been negotiated with QM. Under this new contract, the plans for future work include:

1. Improving X-300 polymer (better low temperature properties).
2. Screening the more promising rubbers noted in the "past progress" section by means of Gehman stiffness and volume swell measurements on pressed sheets of the raw polymers.
3. Exploratory polymerization of new monomer pairs and development of better recipes where needed to improve yields.
4. High pressure polymerization of unreactive fluoro-olefins.


E. S. LO


F. J. HONN

References to original Records:

Notebook #234 (A.N. Bolstad) pp. 54-78, incl.
Notebook #226 (J.M. Hoyt), pp. 113-119
Notebook #269 (E.S. Lo), pp. 1-19, incl.

TABLE 1
EXPLORATORY COPOLYMERIZATION

No.	Comonomer (X)	Charged	Moles	Hrs. of Polymerization	Recipe	% Conversion	Appearance
			$\text{CF}_2=\text{CH}=\text{CH}_2$				
			CH_3 X				
Principal Monomer = $\text{CF}_2=\text{CH}=\text{CH}_2$ CH_3							
1416	$\text{CH}_2=\text{CFCH}=\text{CH}_2$	50/50	25.23 % F found (Too low for either homopolymer)	24	(1)	42	Short rubber (turned black)
1417	$\text{CH}_2=\text{CHCH}=\text{CH}_2$	50/50	-----	24	(1)	trace	Short rubber (turned black)
1418	$\text{CH}_2=\text{CHOC}_2\text{H}_5$	50/50	98.12	4	(1)	24	Tacky paste
1419	none	100	-----	4	(1)	100	Rubber
1420	$\text{CH}_2=\text{CHOC}_2\text{H}_5$ (iso)	50/50	98.12	24	(1)	18	Tacky paste
1421	$\text{C}_2\text{H}_5\text{CF}=\text{CF}_2$	50/50	94.84 F found (Too low for either homopolymer)	4	(1)	43	Snappy rubber
Principal Monomer = $\text{CF}_2=\text{CH}=\text{CH}_2$ CH_3							
1437	$\text{CF}_3=\text{CF}=\text{CF}_2$	50/50	87.14	24	(1)	24	Slw rubber
1438	$\text{CF}_3=\text{CF}=\text{CF}_2$	50/50	44.96 F found (Too low for either homopolymer)	24	(1)	20	Short rubber
1439	$\text{CH}_2=\text{CHCl}$	50/50	87.14	24	(1)	10	Slw rubber
1440	$\text{CF}_3=\text{CF}=\text{CF}_2$	50/50	80.18	24	(1)	13	Short rubber
1441	$\text{CH}_2=\text{CHCl}$	50/50	87.14	24	(1)	11	Short rubber
1442	$\text{CF}_3=\text{CF}=\text{CF}_2$	50/50	44.96 F found (Too low for either homopolymer)	24	(1)	13	Slw rubber
1443	$\text{CH}_2=\text{CHOC}_2\text{H}_5$ (X)	50/50	12.41	24	(1)	4	Sticky gum
1444	$\text{CH}_2=\text{CFCl}$	50/50	56.12	24	(1)	17	Tough slw rubber
1445	$\text{CH}_2=\text{CH}(\text{NH}_2)$	50/50	91.14	24	(1)	13	Tough plastic
1447	$\text{CH}_2=\text{CHCH}=\text{CH}_2$	50/50	14.80	24	(1)	3	Soft gum
1448	$\text{CF}_3\text{CH}=\text{CF}_2$	50/50	97.12	24	(1)	11	Short rubber
1449	none	100	-----	24	(1)	44	Rubber
1422	none	100	-----	24	(1)	15	Short rubber
Monomers: $\text{CF}_2=\text{CH}=\text{CH}_2$ 100, $\text{CF}_3=\text{CF}=\text{CF}_2$							Yield
1432	Pressure, psik	16.80	58.12	24	(1)	27 g.	Low molecular weight rubber
1433	20	24.74	47.14	24	(1)	44 g.	Low molecular weight rubber
1434	50	42.83	17.14	24	(1)	47 g.	Stiff rubber

- (1) Recipe (pts by wt.) = Water 200; $\text{C}_2\text{F}_5\text{COONH}_4$ 1; $\text{K}_2\text{S}_2\text{O}_8$ 1.1; $\text{Na}_2\text{S}_2\text{O}_5$ 0.4; Borax 0.5; Tertiary lauryl Mercaptan 0.1; Monomers 100; temp. 50°C.
 (2) Recipe (pts by wt.) = Same as (1) except Water 180 and Merc. buffer solution 20.
 (3) Recipe (pts by wt.) = Same as (1) except no Tertiary lauryl Mercaptan used and emulsifier = 3 pts. KORS and 3 pts. $\text{C}_2\text{F}_5\text{COONH}_4$.
 (4) Recipe (pts by wt.) = Water 200; Monomers at constant vapor pressure; $\text{K}_2\text{S}_2\text{O}_8$ 1.0; $\text{Na}_2\text{S}_2\text{O}_5$ 0.4; Temperature 50°C.

FILE NO: D-9995
ESL:MGB 8/2/54

TABLE 2

PERFLUOROBUTADIENE POLYMERIZATION

<u>No.</u>	<u>Polymerization Conditions</u>	<u>Analysis</u>	<u>% Conversion</u>	<u>Appearance</u>
1410	O ₂ initiator /1/	68% F., 0.53% S (96/4 molar CF ₂ =CF ₂ CF=CF ₂ /SO ₂)	56	tacky paste (partially acetone soluble)
1411	O ₂ initiator /2/	----	3	tacky paste (partially acetone soluble)
1412	H ₂ O ₂ initiator /3/	----	trace	tacky paste

/1/ Oxygen bubbled thru liquid at reflux temperature for 18 hours (1.2 parts SO₂ to 100 parts by weight CF₂=CF₂CF=CF₂). A 50% conversion was obtained in 30 hours previously with no SO₂.

/2/ Oxygen bubbled thru refluxing solution (75 parts SO₂ to 100 parts by weight CF₂=CF₂CF=CF₂) for 18 hours.

/3/ Recipe (parts by weight): Monomer 100; 30% H₂O₂-50; Fluoro-chloro monoacid Tumbled 115 hours at 20°C.



TABLE 3
SCREENING TESTS ON EXPLORATORY POLYMERS

Sample No.	Mold Temp. °F.	Mole % Ratio	Composition	Gehman Stiffness °C.				% Volume Increase in Fluid II	Sample Cond. after Molding
				T ₂	T ₅	T ₁₀	T ₁₀₀		
1221	300	75/25	CF ₂ =C(CH ₃)-CH=CH ₂ /CF ₂ =CFC1 (DFI)	-2	-8.5	-11.5	-16	99	soft rubber.
1222	300	48/52	DFI/CH ₂ =CH-CH=CH ₂	-22.5	-32	-38.5	-45.5	338	soft rubber.
1226	300	82/18	DFI/CH ₂ =CHC1	+5	-2.5	-6	-11	92	soft rubber.
1227	300	50/50	DFI/CH ₂ =C(CH ₃)-CH=CH ₂	-16	-21	-25	-38	Gel	soft tacky
1229	300	88/12	DFI/CH ₂ =CHCN	+24	+22	+20.5	+15.5	4	hard stiff
1232	150	81/19	DFI/CF ₃ -CC1=CH ₂	+19.5	+9	+5.5	-2	Gel	soft flex.
1233	300	?	DFI/CF ₂ =CH-C(CH ₃)=CH ₂	+3.5	-9.5	-13.5	-22.5	84	soft flex.
1234	300	82/18	DFI/CF ₃ -CH=CH ₂	0	-2	-4.5	-19	81	soft flex.
1273	300	78/22	DFI/CF ₂ =CC1 ₂	+2	-2.5	-4.5	-6.5	146	soft flex.
1211	300	90/10	DFI/CH ₂ =CF ₂	-7.5	-17.5	-20	-28	88	soft flex.
1212	300	90/10	DFI/CF ₂ =CF ₂	+10	-2	-9	-17.5	86	soft flex.
1213	300	90/10	DFI/CF ₂ =CFH	-1	-14	-15	-22	90	soft flex.
1243	300	82/18	CF ₃ -CH=CH-CH=CH ₂ /CF ₂ =CF-CF=CF ₂	**				Gel	firm flex.
1246	300	81/19	CF ₃ -CH=CH-CH=CH ₂ /CH ₂ =CFC1	+19.5	+18	+17.5	+14	Gel	stiff plas.
1249	300	90/10	CF ₃ -CH=CH-CH=CH ₂ /CF ₂ =CH-C(CH ₃)=CH ₂	+4.5	+2	0	-3.5	107	soft flex.
1251	300	90/10	CF ₃ -CH=CH-CH=CH ₂ /CF ₂ =CH-CH=CH ₂	0	-4	-5	-10	62	soft flex.
1252	300	86/14	CF ₃ -CH=CH-CH=CH ₂ /CF ₃ -CH=CH ₂	+19	+17.5	+17	+14	Gel	stiff plas.
1253	300	100/0	CF ₃ -CH=CH-CH=CH ₂ only	+19	+17	+16	+13	55	stiff plas.
1254	300	97/3	CF ₃ -CH=CH-CH=CH ₂ /CF ₂ =C(CH ₃)-CH=CH ₂	+18	+14	+11.5	+5	Gel	soft flex.
1216	300	86/14	CF ₃ -CH=CH-CH=CH ₂ /CF ₂ =CF ₂	+22	+19.5	+18.5	+14	Gel	soft plas.
1277	300	18/82	CF ₂ =CF ₂ /n-butyl acrylate	+10	-9	-24	-37	Gel	soft flex.
1138	300	100/0	CF ₂ =CFC1/CF ₂ =CH ₂ /CH ₂ =CFC1	+8.5	-1.5	-6.5	-21	20	firm flex.
1225	300	91/9	CF ₂ =C(CH ₃)-CH=CH ₂ /CF ₃ -C(CH ₃)=CH ₂	+5	-5.5	-8.5	-17.5	111	soft rubber.
1348	300	48/52	CF ₂ =CF ₂ /vinyl ethyl ether	-0.5	-4.5	-6.5	-11	Gel	firm flex.
1317	450	35/65	CF ₂ =CF ₂ /vinyl butyrate	+12	+6	+3	-24	16	firm flex.
1340	300	49/51	CF ₂ =CF ₂ /vinyl 2-chloroethyl ether	+14.5	+11.5	+9.5	+5	78	firm flex.
1396	350***	100	CF ₂ =CHC(CH ₃)=CH ₂	-5	-16	-21	-30.5	93	soft flex.
1313	450	50/50A	CF ₂ =CF ₂ /CH ₂ =CFC1	+13.5	+5	+0.5	-8	38	firm flex.
1347	300	63/35A	CF ₂ =CF ₂ /CH ₂ =CFC1	+17	+7.5	+3	-55	19	stiff flex.
1339	425	50/40	CF ₂ =CFC1/vinyl 2-chloroethyl ether	+23.5	+23	+21.5	+13.5	101	stiff boardy
1331	300	51/49	CF ₂ =CFC1/vinyl ethyl ether	+23.5	+22.5	+22	+1	Gel	stiff boardy
770	325	37/48/21	CF ₂ =CFC1/CF ₂ =CH ₂ /CF ₃ -CC1=CF ₂	+14	+11	+10	+6.5	25	soft flex.
1278	300	45/48/7	CF ₂ =CFC1/CF ₂ =CH ₂ /vinyl acetate	+21	+17	+15.5	+6	17	stiff boardy
1315	350	50/46/4	CF ₂ =CFC1/CF ₂ =CH ₂ /vinyl butyrate	+16	+13	+11	+7	fell apart	soft flex.
1316	375	41/39/20	CF ₂ =CFC1/CF ₂ =CH ₂ /vinyl butyrate	+13	+21	+19	+13	fell apart	stiff boardy
1328	---	22/68	CF ₂ =CF ₂ /CH ₂ =CFC1	insufficient sample					
1341	---	15/85	CF ₂ =CF-CF=CF ₂ /vinyl 2-chloroethyl ether	"	"	"	"		
1203	---	47.2% F.	Residue from CF ₂ -CF-CF=CF ₂ tank	"	"	"	"		

*Charge ratio

**Sample bubbled in mold - insufficient material for remolding but sample was completely stiff at 20°F. in cold box and gave 8" twist with black wire.

***Very rapid decomposition of this sample occurred when molding was attempted at 300°F.


A-Constant feed runs.

TABLE 4

POLYMERS TO BE SCREENED FOR GERMAN STIFFNESS AND VOLUME SWELL IN ASTM TYPE II FUEL

Run No.	Comonomer	% Molar Composition	Grams Shipped	Remarks
880	$\text{CF}_2=\text{CFC1}/\text{CH}_2=\text{CF}_2/\text{CF}_2=\text{CF}_2$	42/41/17	0.5	all of sample
958	$\text{CF}_2=\text{CFC1}/\text{CH}_2=\text{CF}_2/\text{CF}_2=\text{CF}_2$	~40/40/20	2.0	---
951	$\text{CF}_2=\text{CFC1}/\text{CH}_2=\text{CF}_2/(\text{CF}_3)_2\text{C}=\text{CF}_2$	52/44/3	1.0	---
954	$\text{CF}_2=\text{CFC1}/\text{CH}_2=\text{CF}_2/\text{CH}_2=\text{CHCONH}_2$	47/51/2	1.0	---
1297	$\text{CF}_2=\text{CFC1}/\text{CH}_2=\text{CF}_2/\text{C1CH}_2\overset{\text{O}}{\underset{\text{C1}}{\text{C}}}-\text{OCH}=\text{CH}_2$	40/32/28	1.0	---
96	$\text{CF}_2=\text{CFC1}/\text{CH}_2=\overset{\text{O}}{\underset{\text{C1}}{\text{C}}}-\text{CH}=\text{CH}_2$	88/12	2.0	---
763	$\text{CF}_2=\text{CFC1}/\text{CH}_2=\text{CHCOOCH}_3$	35/65	2.0	---
1301	$\text{CF}_2=\text{CFC1}/\text{CH}_2=\text{CHOCCH}_2\text{CH}(\text{CH}_3)_2$	52/48	1.0	---
613	$\text{CF}_2=\text{CH}_2/\text{CH}_2=\overset{\text{O}}{\underset{\text{C1}}{\text{C}}}-\text{CH}=\text{CH}_2$	8/92	2.0	---
471	$\text{CH}_2=\text{CHCH}=\text{CH}_2/\text{CH}_2=\text{CFC1}$	6/94	2.0	composition does not check with conversion
489	$\text{CH}_2=\text{CHCH}=\text{CH}_2/\text{CF}_3\text{CH}=\text{CHCF}_3$	97/3	1.0	check if low fluorine content is effective
670	$\text{CH}_2=\text{CHCH}=\text{CH}_2/\text{CF}_3\text{CC1}=\text{CF}_2$	80/20	1.0	---
1036	$\text{CF}_2=\text{CHCH}=\text{CH}_2/(\text{CH}_3)_2\text{C}=\text{CH}_2$	99/1	1.0	test because the 1% comonomer makes polymer rubbery
1140	$\text{CF}_2=\text{CH}\overset{\text{CH}_3}{\text{C}}=\text{CH}_2/(\text{CH}_3)_2\text{C}=\text{CH}_2$	85/15	1.0	---
177	$\text{CF}_2=\text{CC1}_2/\text{CH}_2=\text{CC1}_2$	39/61	2.0	not very rubbery but test to get effect of Cl atoms.
161	$\text{CF}_2=\text{CC1}_2/\text{CH}_2=\text{CC1CH}=\text{CH}_2$	20/80	2.0	loses HCl; sent two levels to get trend
163	$\text{CF}_2=\text{CC1}_2/\text{CH}_2=\text{CC1CH}=\text{CH}_2$	12/88	2.0	
223	$\text{CF}_2=\text{CC1}_2/\text{CH}_2=\text{CHCOOC}_4\text{H}_9$	8/92	3.0	---
614	$\text{CF}_2=\text{CHCl}/\text{CH}_2=\text{CC1CH}=\text{CH}_2$	7/93	2.0	low $\text{CF}_2=\text{CHCl}$, but may indicate merit of system
808	$\text{CF}_3\text{CF}=\text{CF}_2/\text{CH}_2=\text{CFC1}$	8/92	1.0	---
1038	$\text{CF}_3\text{CF}=\text{CF}_2/\text{CF}_2=\text{CHCH}=\text{CH}_2$	8/92	1.0	---
1143	$\text{CF}_3\text{CF}=\text{CF}_2/\text{CF}_2=\text{CH}\overset{\text{CH}_3}{\text{C}}=\text{CH}_2$	2/98	1.2	analysis shows 2% $\text{CF}_3\text{CF}=\text{CF}_2$, but conversion would indicate much more incorporated
1291	$\text{CF}_3\text{CF}=\text{CF}_2/\text{CF}_2=\overset{\text{CH}_3}{\text{C}}-\text{CH}=\text{CH}_2$	2/98	0.8	low $\text{CF}_3\text{CF}=\text{CF}_2$ but to be compared with 1143
837	$\text{CH}_2=\text{CHCOOC}_4\text{H}_9/\text{CF}_3\text{CH}=\text{CH}_2$	88/12	1.0	---
1089	$\text{CH}_2=\text{CHCOOC}_4\text{H}_9/\text{CF}_2=\text{CHCH}=\text{CH}_2$	3/97	1.3	low in acrylate but copolymer much more rubbery than homopolymer of $\text{CF}_2=\text{CHCH}=\text{CH}_2$
422	$\text{CF}_3\text{C}=\text{CCF}_3/\text{CH}_2=\text{CFC1}$	7/93	1.1	---
1103	$\text{CH}_2=\text{CFC1}/\text{CH}_2=\text{CHF}$	56/44	1.0	---
1172	$\text{CH}_2=\text{CFC1}/\text{CF}_3\text{CH}=\text{CF}_2$	97/3	1.0	low in $\text{CF}_3\text{CH}=\text{CF}_2$ but polymer sufficiently different in appearance from $\text{CH}_2=\text{CFC1}$ homopolymer
1289	(cis) $\text{CF}_3\text{CH}=\text{CHCF}_3/\text{CF}_2=\overset{\text{CH}_3}{\text{C}}-\text{CH}=\text{CH}_2$	1/99	0.8	very low in $\text{CF}_3\text{CH}=\text{CHCF}_3$, but we have no homopolymer of $\text{CF}_2=\overset{\text{CH}_3}{\text{C}}-\text{CH}=\text{CH}_2$ yet to evaluate
1248	$\text{CF}_3\text{CC1}=\text{CF}_2/\text{CF}_3\text{CH}=\text{CHCH}=\text{CH}_2$	5/95	1.0	---
1230	$\text{CF}_3\text{CC1}=\text{CF}_2/\text{CF}_2=\overset{\text{CH}_3}{\text{C}}-\text{CH}=\text{CH}_2$	4/96	0.8	---
1432	$\text{CF}_2=\text{CFC1}/\text{CH}_2=\text{CFC1}$	charged 15/85	5.0	---
1433	$\text{CF}_2=\text{CFC1}/\text{CH}_2=\text{CFC1}$	charged 25/75	5.0	---
1434	$\text{CF}_2=\text{CFC1}/\text{CH}_2=\text{CFC1}$	charged 50/50	3.0	---
1421	$\text{CF}_2=\text{CH}\overset{\text{CH}_3}{\text{C}}=\text{CH}_2/\text{CF}_2=\text{CFC6H5}$	charged 50/50	1.0	---
1449	$\text{CF}_2=\overset{\text{CH}_3}{\text{C}}-\text{CF}=\text{CH}_2$ only	---	1.0	---

FIGURE 1









FIGURE 4

**CF₂-CF₂ COPOLYMERS
CF₂-CFCF₂/CH₂-CF₂/X TERPOLYMERS
AND OTHER MISCELLANEOUS SYSTEMS**

Raw Polymer Screening Test

Run No.	Monomers	Mole Ratio Combined
X-300	CF ₂ -CFCF ₂ /CF ₂ -CH ₂	30/70
1277	CF ₂ -CF ₂ /n-butyl acrylate	18/82
1348	CF ₂ -CF ₂ /vinyl ethyl ether	48/52
1317	CF ₂ -CF ₂ /vinyl butyrate	35/65
1340	CF ₂ -CF ₂ /vinyl 2-chloroethyl ether	49/51
1313	CF ₂ -CF ₂ /CH ₂ -CFCF ₂	50/50
1347	CF ₂ -CF ₂ /CH ₂ -CFCF ₂	65/35
1138	CF ₂ -CFCF ₂ /CF ₂ -CH ₂ /CH ₂ -CFCF ₂	14/60/26
770	CF ₂ -CFCF ₂ /CF ₂ -CH ₂ /CF ₂ -CCl=CF ₂	37/42/21
1278	CF ₂ -CFCF ₂ /CF ₂ -CH ₂ /vinyl acetate	45/48/7
1339	CF ₂ -CFCF ₂ /vinyl 2-chloroethyl ether	60/40
1331	CF ₂ -CFCF ₂ /vinyl ethyl ether	51/49
1396	CF ₂ -CHC(CH ₃)=CH	100



Armed Services Technical Information Agency

Because of our limited supply, you are requested to return this copy WHEN IT HAS SERVED YOUR PURPOSE so that it may be made available to other requesters. Your cooperation will be appreciated.

AD

41522

NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

Reproduced by
DOCUMENT SERVICE CENTER
KNOTT BUILDING, DAYTON, 2, OHIO

UNCLASSIFIED